

TECHNICAL DETAIL FOR THE 5Te CAPACITY MAGNI ROTO TELEHANDLER

MAKE	MANITOU
MODEL	5.23
LOAD CENTRE	600MM
WEIGHT (KG)	16700
POWER	DIESEL
TRAVEL SPEED	40 km / h
ROTATION (degree)	360
MAX LIFTING HEIGHT (M)	22,6
MAX REACH (M)	19
MAX CAPACIYT (KG)	5000
DIMENSIONS L X W X H (M)	7,36 x 2,48 x 3,04
CAPACITY AT MAX HEIGHT	2000 (KG)
Forks L X W X H (MM)	1100 X 100 X 60



TECHNICAL DETAIL FOR THE 3.5Te CAPACITY JLG TELEHANDLER

MAKE	JLG
MODEL	3513
LOAD CENTRE	600MM
ENGINE	Perkins 1104.44
POWER	DIESEL
TRAVEL SPEED	25 km/h
MAX LIFTING HEIGHT	13 MTR
MAX FORWARD REACH	9.2 MTR
MAX CAPACITY	3500 KG
DIMENSIONS L X W X H	4.6 x 2.38 x 2.45 MTR
WHEELBASE	2.85
GROUND CLEARANCE	420 MM
OPERATING WEIGHT	11000 KG
CAPACITY AT MAX HEIGHT	3500 KG
CAPACITY AT MAX REACH	1000 KG
TURNING RADIUS	3800 MM



TECHNICAL DETAIL FOR THE 4Te CAPACITY JLG TELEHANDLER

MAKE	JLG
MODEL	4013
LOAD CENTRE	600MM
ENGINE	Perkins
POWER	DIESEL
TRAVEL SPEED	25 km/h
MAX LIFTING HEIGHT	13 MTR
MAX FORWARD REACH	9.2 MTR
MAX CAPACITY	4000 KG
DIMENSIONS L X W X H	4.6 x 2.38 x 2.45 MTR
WHEELBASE	2.85
GROUND CLEARANCE	420 MM
OPERATING WEIGHT	11800 KG
CAPACITY AT MAX HEIGHT	4000 KG
CAPACITY AT MAX REACH	1300 KG
TURNING RADIUS	3800 MM

**TECHNICAL DETAIL FOR THE 4Te CAPACITY JLG TELEHANDLER**

MAKE	JLG
MODEL	4017
LOAD CENTRE	600MM
ENGINE	Perkins
POWER	DIESEL
TRAVEL SPEED	25 km/h
MAX LIFTING HEIGHT	16.7 MTR
MAX FORWARD REACH	12.5 MTR
MAX CAPACITY	4000 KG
DIMENSIONS L X W X H	4.76 x 2.38 x 2.5 MTR
WHEELBASE	2.85
GROUND CLEARANCE	420 MM
OPERATING WEIGHT	12100 KG
CAPACITY AT MAX HEIGHT	3000 KG
CAPACITY AT MAX REACH	700 KG
TURNING RADIUS	3800 MM



TECHNICAL DETAILS FOR THE 12Te CAPACITY, 10MTR BOOM DIECI TELEHANDLER

MAKE	DIECI
MODEL	HERCULES 120.10
LOAD CENTRE	600MM
WEIGHT (KG)	17000
POWER / ENGINE	DIESEL / IVECO FPT 129 kW, 175 HP
MAX LIFTING HEIGHT (M)	9,5
MAX REACH (M)	5,15
OUTREACH AT MAX HEIGHT	0,6 MTR
FORKS SWIVELING ANGLE	144 (DEGREE)
MAX CAPACIYT	12000 KG
DIMENSIONS L X W X H	6,050 x 2,42 x 2,89 MTR
MAX GROUND SPEED	35 KM/H
TYRES	17.5 R25
CAPACITY AT MAX REACH	2600 (KG)

